

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S164	2	"6876738"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16
S163	8	(tandem or tandemed or tandeming) adj2 parameter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16
S162	679	(tandem or tandemed or tandeming) with trunk	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16
S161	467	ANSI and octet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16
S160	466	ansi and octet and "3"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16
S159	375	reorder and "379"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16
S158	308	ANSI and octet\$1 and (parameter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16
S157	357	ANSI-41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16
S156	211	(tandem or tandemed or tandeming) adj2 call	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16

S15 5	222	ANSI-41 and HLR	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16
S15 4	164	(trunk) with ((voice adj mail) or voicemail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16
S15 3	8	((("5933778") or ("5905789") or ("5579379") or ("5757903"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16
S15 2	4	((("6397055") or ("5905789") or ("6175574") or ("6219551") or ("5905789"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/05/24 08:16
S15 1	26	cpp and (cpp and ppd)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16
S15 0	7	(tandem adj parameter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16
S14 9	1	(tandem adj parameter) and "379"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16
S14 8	2	("20020012425").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16
S14 7	10	cpp and (((tandem or tandemed or tandeming) with trunk) and (AIN or (SSP and SCP)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16
S14 6	45	((((tandem or tandemed or tandeming) adj2 call) and (AIN or (SSP and SCP))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16

S14 5	113	((called with number) or (digit with analy\$4)) with (select\$4 adj2 trunk)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16
S14 4	102	"5579379".URPN.	USPAT	OR	OFF	2005/05/24 08:16
S14 3	2	("5933778").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16
S14 2	2	("5752186").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16
S14 1	8	((("5933778") or ("5905789") or ("5579379") or ("5757903")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16
S14 0	26	(reorder and "379"/\$.ccls.) and (adjunct)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16
S13 9	1	(reorder and "379"/\$.ccls.) and (application adj node)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16
S13 8	218	(called with number) with (select\$3 with trunk)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16
S13 7	38	(called with number) with (selection with trunk)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16
S13 6	8	(called adj party with number) with (selection with trunk)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16

S13 5	2	((VLR and HLR and (CPP))) and ((pre-paid) or (prepaid))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16
S13 4	8	(VLR and HLR and (CPP))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16
S13 3	1	("5933778").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/05/24 08:16
S13 2	1	("5905789").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/05/24 08:16
S13 1	4	((("6397055") or ("5905789") or ("6175574") or ("6219551") or ("5905789"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/05/24 08:16
S13 0	7	((("5355406") or ("5375161") or ("5430719") or ("5905789") or ("5982858") or ("6011834") or ("6215857"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/05/24 08:16
S12 9	0	(trunk) with all with ((voice adj mail) or voicemail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16
S12 8	7	(trunk adj group) with ((voice adj mail) or voicemail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16
S12 7	0	(trunk adj group) with all with ((voice adj mail) or voicemail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16
S12 6	6	buhrmann.in. and "379"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16

S12 5	52	379/211.03.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16
S12 4	223	message with (SCP or database) same (error or successfully or failed) and SCP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16
S12 3	1	2002-137460.NRAN.	DERWENT	OR	OFF	2005/05/24 08:16
S12 2	66	(called with number) with (error or successfully or failed) and SCP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16
S12 1	161	(called with number) same (error or successfully or failed) and SCP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16
S12 0	3	((digit with (analyzing or analysis)) with called) same (error or successfully or failed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16
S11 9	18	((digit with (analyzing or analysis)) with called) and (SCP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16
S11 8	124	(digit with (analyzing or analysis)) and (SCP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16
S11 7	29	octet\$1 same (scp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16
S11 6	14	octet\$1 same (application with node)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16

S11 5	6	octet\$1 same SS7 same (service with node)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16
S11 4	5	octet\$1 same SS7 same (application with node)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16
S11 3	0	octet\$1 same SS7 same (AIN adj processing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16
S11 2	7	tandem adj parameter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16
S11 1	36	octet\$1 same SS7 same (node)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16
S11 0	59	ANSI and octet\$1 same SS7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16
S10 9	53	(ANSI and octet\$1 and (parameter)) and (SCP and SSP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16
S10 8	10	ANSI and octet and (AIN with trigger)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16
S10 7	0	ANSI and octet same (AIN with trigger)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16
S10 6	66	ANSI and octet and tandem\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16

S10 5	0	ANSI and single-octet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16
S10 4	13	ansi with redirection	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16
S10 3	34	(incoming adj call) same (digit adj analysis)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16
S10 2	0	tandeming adj failure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16
S10 1	72	ansi and octet and "379"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16
S10 0	114	(incoming adj call) same (tandem or tandemed or tandeming)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16
S99	3	(incoming adj call adj leg) same (tandem or tandemed or tandeming)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16
S98	1	(incoming adj call adj legs) same (tandem or tandemed or tandeming)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16
S97	2	("6198814").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16
S96	10	cpp and (((tandem or tandemed or tandeming) with trunk) and (AIN or (SSP and SCP)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16

S95	26	cpp and ppd	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16
S94	1	cpp and ppd and ons	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16
S93	245	((tandem or tandemed or tandeming) with trunk) and (AIN or (SSP and SCP))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16
S92	679	(tandem or tandemed or tandeming) with trunk	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16
S91	0	(tandem or tandemed or tandeming) with trunk with predesignat@3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16
S90	10	(subscriber adj profile) same (tandem or tandemed or tandeming)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/24 08:16
S89	1	"6876738"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/20 11:18